ELSEVIER

Neuroscience Letters 281 (2000) 201–204

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 281

Ahn, H., see Huh, Y., 49
Aloisi, A.M., Ceccarelli, I., Herdegen, T., Gonadectomy and persistent pain differently affect hippocampal c-Fos expression in male and female rats, 29
Ambrogini, P., see Ciaroni, S., 69
André, G., see Reibel, S., 79
André, V., see Reibel, S., 79
Anthony, D., see Ly, A., 13
Appel, S.H., see Zou, L.-L., 167
Arce, V.M., see Castro, J.R., 147
Argiolas, A., see Melis, M.R., 127
Armstrong, R.A., Cairns, N.J., Lantos, P.L., The spatial pattern of the vacuolation in patients with sporadic Creutzfeldt–Jakob disease, 187

Baker, L., Dye, A., Ratka, A., Effects of morphine glucuronides on the function of opioid receptors in human SK-N-SH cells, 1
Barker, J.L., see Zhang, L., 57
Bezard, E., see Boraud, Th., 75
Bioulac, B., see Boraud, Th., 75
Bischof, A., Stark, H., Wagner, T., Scheich, H., The inhibitory influence of an acquired escape strategy on subsequent avoidance learning in gerbils, 175
Blennerhassett, M.G., see Lourenssen, S., 25
Blomqvist, A., see Engblom, D., 163
Bokil, H.S., Porter, J.P., Brain angiotensin type 1 receptor expression and function in the Zucker obese rat, 139
Bolha, B., see Maurer, C., 99
Boraud, Th., Bezard, E., Stutzmann, J.M., Bioulac, B., Gross, C.E., Effects of riluzole on the electrophysiological activity of pallidal neurons in the 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-treated monkey, 75
Borsook, D., see Kobierski, L.A., 61
Bouchaud, C., see Ly, A., 13
Bourdin, C., see Martin, O., 53
Bringmann, A., Pannicke, T., Reichenbach, A., Skatchkov, S.N., Ca^{2+} channel-mediated currents in retinal glial (Müller) cells of the toad (*Bufo marinus*), 155
Bruno, C., see Ciaroni, S., 69
Budygin, E.A., Kilpatrick, M.R., Gainetdinov, R.R., Wightman, R.M., Correlation between behavior and extracellular dopamine levels in rat striatum: comparison of microdialysis and fast-scan cyclic voltammetry, 9
Buekers, M.J., see de Rugy, A., 87

Cairns, N.J., see Armstrong, R.A., 187
Castro, J.R., Costoya, J.A., Gallego, R., Prieto, A., Arce, V.M., Señarís, R., Expression of growth hormone receptor in the human brain, 147
Ceccarelli, I., see Aloisi, A.M., 29
Cecchini, T., see Ciaroni, S., 69
Chang, Y.H., see Zhang, L., 57
Chassagnon, S., see Reibel, S., 79
Cheng, I., see Hensley, K., 179
Ciaroni, S., Cecchini, T., Cuppini, R., Ferri, P., Ambrogini, P., Bruno, C., Del Grande, P., Are there proliferating neuronal precursors in adult rat dorsal root ganglia?, 69
Condés-Lara, M., see Martínez-Lorenzana, G., 135
Contestabile, A., see Virgili, M., 123
Corbeil, P., see Martin, O., 53
Costoya, J.A., see Castro, J.R., 147
Cuppini, R., see Ciaroni, S., 69

Danysz, W., see Sopala, M., 143
Dayalu, V., see Kalinowski, J., 198
de Rugy, A., Montagne, G., Buekers, M.J., Laurent, M., The control of human locomotor pointing under restricted informational conditions, 87
Del Grande, P., see Ciaroni, S., 69
Delattre, J.-Y., see Ly, A., 13
Depaulis, A., see Reibel, S., 79
Duc, H.T., see Ly, A., 13
Dye, A., see Baker, L., 1

Eder, C., see Richter, H., 33
Ek, M., see Engblom, D., 163
Ekström, P.A.R., Kerekes, N., Hökfelt, T., Leukemia inhibitory factor null mice: unhampered in vitro outgrowth of sensory axons but reduced stimulatory potential by nerve segments, 107
Endo, T., see Sato, Y., 41
Engblom, D., Ek, M., Hallbeck, M., Ericsson-Dahlstrand, A., Blomqvist, A., Distribution of prostaglandin EP_3 and EP_4 receptor mRNA in the rat parabrachial nucleus, 163
Ericsson-Dahlstrand, A., see Engblom, D., 163
Evrard, P., see Ly, A., 13

Faull, R.L.M., see Malherbe, P., 37
Feifel, D., see Shilling, P.D., 17
Ferri, P., see Ciaroni, S., 69
Floyd, R.A., see Hensley, K., 179
Franciosi, S., see Goghari, V., 83
Frankiewicz, T., see Sopala, M., 143
Fu, Q., see Kamiya, A., 21
Fujii, N., see Tsuzuki, K., 171
Fukatsu, R., see Tsuzuki, K., 171
Funabashi, T., see Shinohara, K., 159

Gainetdinov, R.R., see Budygin, E.A., 9

PII: S0304-3940(00)00898-3

Gallego, R., see Castro, J.R., 147
Garland, W.A. see Hensley, K., 179
Gebhart, G.F., see Ness, T.J., 131
Goghari, V., Franciosi, S., Kim, S.U., Lee, Y.B., McLarnon, J.G., Acute application of interleukin-1β induces Ca^{2+} responses in human microglia, 83
Gross, C.E., see Boraud, Th., 75

Haapalinna, A., see Niittykoski, M., 95
Häkkinen, J., see Liinasuo, M., 119
Hökfelt, T., see Ekström, P.A.R., 107
Hallbeck, M., see Engblom, D., 163
Hasegawa, K., see Uehara, H., 191
He, Y., see Zou, L.-L., 167
Heinemann, U., see Richter, H., 33
Henin, D., see Ly, A., 13
Hensley, K., Robinson, K.A., Pye, Q.N., Floyd, R.A., Cheng, I., Garland, W.A. Irwin, I., CPI-1189 inhibits interleukin 1β-induced p38-mitogen-activated protein kinase phosphorylation: an explanation for its neuroprotective properties?, 179
Heo, K., see Huh, Y., 49
Herdegen, T., see Aloisi, A.M., 29
Hlavacka, F., see Maurer, C., 99
Ho Ko, K., see Kim, H.-C., 65
Hu, Q., see Zhang, L., 57
Huh, Y., Heo, K., Park, C., Ahn, H., Transient induction of neuronal nitric oxide synthase in neurons of rat cerebral cortex after status epilepticus, 49

Imai, K., see Tsuzuki, K., 171
Irwin, I., see Hensley, K., 179
Iwase, S., see Kamiya, A., 21
Iwata, M., see Sasaki, S., 45

Jankovic, J., see Zou, L.-L., 167
Jhoo, W.-K., see Kim, H.-C., 65

Kalinowski, J., Stuart, A., Rastatter, M.P., Snyder, G., Dayalu, V., Inducement of fluent speech in persons who stutter via visual choral speech, 198
Kamiya, A., Iwase, S., Michikami, D., Fu, Q., Mano, T., Kitaichi, K., Takagi, K., Increased vasomotor sympathetic nerve activity and decreased plasma nitric oxide release after head-down bed rest in humans: disappearance of correlation between vasoconstrictor and vasodilator, 21
Kato, K., see Kim, H.-C., 65
Kawaguchi, M., see Shinohara, K., 159
Kawai, F., Miyachi, E.-i., Odorants suppress voltage-gated currents in retinal horizontal cells in goldfish, 151
Kelsoe, J.R., see Shilling, P.D., 17
Kerekes, N., see Ekström, P.A.R., 107
Kilpatrick, M.R., see Budygin, E.A., 9
Kim, H.-C., Jhoo, W.-K., Kim, W.-K., Suh, J.-H., Shin, E.-J., Kato, K., Ho Ko, K., An immunocytochemical study of mitochondrial manganese-superoxide dismutase in the rat hippocampus after kainate administration, 65
Kim, J.-E., see Lee, S.-R., 183
Kim, S.-P., see Lee, S.-R., 183
Kim, S.U., see Goghari, V., 83
Kim, W.-K., see Kim, H.-C., 65
Kimura, F., see Shinohara, K., 159
Kitaichi, K., see Kamiya, A., 21
Kobierski, L.A., Srivastava, S., Borsook, D., Systemic lipopolysaccharide and interleukin-1β activate the interleukin 6: STAT intracellular signaling pathway in neurons of mouse trigeminal ganglion, 61
Kojo, I., see Liinasuo, M., 119
Kong, J., Xu, Z., Overexpression of neurofilament subunit NF-L and NF-H extends survival of a mouse model for amyotrophic lateral sclerosis, 72

Lantos, P.L., see Armstrong, R.A., 187
Laurent, M., see de Rugy, A., 87
Le, W.-D., see Zou, L.-L., 167
Lee, S.-R., Kim, S.-P., Kim, J.-E., Protective effect of topiramate against hippocampal neuronal damage after global ischemia in the gerbils, 183
Lee, Y.B., see Goghari, V., 83
Lemieux, L., see Tebartz van Elst, L., 103
Leng, G., see Ludwig, M., 195
Li, B.-S., see Zhang, L., 57
Liinasuo, M., Kojo, I., Häkkinen, J., Rovamo, J., Neon colour spreading in three-dimensional illusory objects in humans, 119
Lourenssen, S., Roder, J.C., Blennerhassett, M.G., Absence of the GluR2 receptor sensitizes mouse sympathetic neurons to nerve growth factor deprivation, 25
Ludwig, M., Leng, G., GABAergic projection from the arcuate nucleus to the supraoptic nucleus in the rat, 195
Ly, A., Bouchaud, C., Henin, D., Sanson, M., Delattre, J.-Y., Pan, Y., Anthony, D., Duc, H.T., Evrard, P., Trojan, J., Expression of insulin-like growth factor-I in rat glioma cells is associated with change in both immunogenicity and apoptosis, 13

Malherbe, P., Faull, R.L.M., Richards, J.G., Regional and cellular distribution of bleomycin hydrolase mRNA in human brain: comparison between Alzheimer's diseased and control brains, 37
Mano, T., see Kamiya, A., 21
Marescaux, C., see Reibel, S., 79
Maric, D., see Zhang, L., 57
Martin, O., Teasdale, N., Simoneau, M., Corbeil, P., Bourdin, C., Pointing to a target from an upright position in human: tuning of postural responses when there is target uncertainty, 53
Martínez-Lorenzana, G., Talavera-Cuevas, E., Sánchez-Alvarez, M., Condés-Lara, M., Effects of kindling in wheat germ agglutinin-horseradish peroxidase labeling in neurons of the interamygdaloid pathway in rats, 135
Maurer, C., Mergner, T., Bolha, B., Hlavacka, F., Vestibular, visual, and somatosensory contributions to human control of upright stance, 99
Maynard, K.I., see Sakakibara, Y., 111
McLarnon, J.G., see Goghari, V., 83
Melis, M.R., Spano, M.S., Succu, S., Argiolas, A., Activation of γ-aminobutyric $acid_A$ receptors in the paraventricular nucleus of the hypothalamus reduces apomorphine-, *N*-methyl-D-aspartic acid- and oxytocin-induced penile erection and yawning in male rats, 127
Mergner, T., see Maurer, C., 99
Michikami, D., see Kamiya, A., 21
Mitha, A.P., see Sakakibara, Y., 111
Miyachi, E.-i., see Kawai, F., 151
Montagne, G., see de Rugy, A., 87

Nagai, H., see Uehara, H., 191
Naito, T., see Uehara, H., 191

Nehlig, A., see Reibel, S., 79
Ness, T.J., Gebhart, G.F., Acute inflammation differentially alters theactivity of two classes of rat spinal visceral nociceptive neurons, 131
Niittykoski, M., Haapalinna, A., Sirviö, J., Diminution of *N*-methyl-D-aspartate-induced perturbation of neurotransmission by dexmedetomidine in the CA1 field of rat hippocampus in vitro, 95

O'Bryant, E.L., Wade, J., Arborization of dewlap motoneurons in the green anole lizard (*Anolis carolinensis*) is not sexually dimorphic, 115
Ochiai, R., see Uehara, H., 191
Ogilvy, C.S., see Sakakibara, Y., 111
Okawa, M., see Shinohara, K., 159

Pan, Y., see Ly, A., 13
Pannicke, T., see Bringmann, A., 155
Park, C., see Huh, Y., 49
Parsons, C., see Sopala, M., 143
Perron, J.T., Tyson, R.L., Sutherland, G.R., Maintenance of tricarboxylic acid cycle kinetics in Brown–Norway Fischer 344 rats may translate to longevity, 91
Porter, J.P., see Bokil, H.S., 139
Prieto, A., see Castro, J.R., 147
Pye, Q.N., see Hensley, K., 179

Rastatter, M.P., see Kalinowski, J., 198
Ratka, A., see Baker, L., 1
Reibel, S., André, V., Chassagnon, S., André, G., Marescaux, C., Nehlig, A., Depaulis, A., Neuroprotective effects of chronic estradiol benzoate treatment on hippocampal cell loss induced by status epilepticus in the female rat, 79
Reichenbach, A., see Bringmann, A., 155
Richards, J.G., see Malherbe, P., 37
Richter, H., Heinemann, U., Eder, C., Hyperpolarization-activated cation currents in stellate and pyramidal neurons of rat entorhinal cortex, 33
Robinson, K.A., see Hensley, K., 179
Roder, J.C., see Lourenssen, S., 25
Rovamo, J., see Liinasuo, M., 119
Rubinow, D.R., see Zhang, L., 57

Saito, K., see Shinohara, K., 159
Sakakibara, Y., Mitha, A.P., Ogilvy, C.S., Maynard, K.I., Post-treatment with nicotinamide (vitamin B_3) reduces the infarct volume following permanent focal cerebral ischemia in female Sprague–Dawley and Wistar rats, 111
Sánchez-Alvarez, M. see Martínez-Lorenzana, G., 135
Sanson, M., see Ly, A., 13
Sasaki, S., Iwata, M., Immunocytochemical and ultrastructural study of the motor cortex in patients with lower motor neuron disease, 45
Sato, Y., Endo, T., Alterations with age of the neurons expressing P_0 in the rat spinal cord, 41
Sawada, T., see Uehara, H., 191
Scheich, H., see Bischof, A., 175
Señarís, R., see Castro, J.R., 147
Shilling, P.D., Feifel, D., Kelsoe, J.R., Amphetamine-induced *zif*268 mRNA expression in the medial posterior nucleus accumbens in cholecystokinin-A receptor mutant rats, 17
Shin, E.-J., see Kim, H.-C., 65
Shinohara, K., Uchiyama, M., Okawa, M., Saito, K., Kawaguchi, M., Funabashi, T., Kimura, F., Menstrual changes in sleep, rectal temperature and melatonin rhythms in a subject with premenstrual syndrome, 159
Simoneau, M., see Martin, O., 53
Sirviö, J., see Niittykoski, M., 95
Skatchkov, S.N., see Bringmann, A., 155
Snyder, G., see Kalinowski, J., 198
Sopala, M., Frankiewicz, T., Parsons, C., Danysz, W., Middle cerebral artery occlusion produces secondary, remote impairment in hippocampal plasticity of rats – involvement of *N*-methyl-D-aspartate receptors?, 143
Spano, M.S., see Melis, M.R., 127
Srivastava, S., see Kobierski, L.A., 61
Stark, H., see Bischof, A., 175
Stuart, A., see Kalinowski, J., 198
Stutzmann, J.M., see Boraud, Th., 75
Succu, S., see Melis, M.R., 127
Suh, J.-H., see Kim, H.-C., 65
Sutherland, G.R., see Perron, J.T., 91

Takagi, K., see Kamiya, A., 21
Talavera-Cuevas, E., see Martínez-Lorenzana, G., 135
Tateno, M., see Tsuzuki, K., 171
Teasdale, N., see Martin, O., 53
Tebartz van Elst, L., Woermann, F., Lemieux, L., Trimble, M.R., Increased amygdala volumes in female and depressed humans. A quantitative magnetic resonance imaging study, 103
Trimble, M.R., see Tebartz van Elst, L., 103
Trojan, J., see Ly, A., 13
Tsuzuki, K., Fukatsu, R., Yamaguchi, H., Tateno, M., Imai, K., Fujii, N., Yamauchi, T., Transthyretin binds amyloid β peptides, Aβ1–42 and Aβ1–40 to form complex in the autopsied human kidney – possible role of transthyretin for Aβ sequestration, 171
Tyson, R.L., see Perron, J.T., 91

Uchiyama, M., see Shinohara, K., 159
Uehara, H., Yoshioka, H., Nagai, H., Ochiai, R., Naito, T., Hasegawa, K., Sawada, T., Doxapram accentuates white matter injury in neonatal rats following bilateral carotid artery occlusion, 191

Virgili, M., Contestabile, A., Partial neuroprotection of in vivo excitotoxic brain damage by chronic administration of the red wine antioxidant agent, trans-resveratrol in rats, 123

Wade, J., see O'Bryant, E.L., 115
Wagner, T., see Bischof, A., 175
Wightman, R.M., see Budygin, E.A., 9
Woermann, F., see Tebartz van Elst, L., 103

Xu, J., see Zou, L.-L., 167
Xu, Z., see Kong, J., 72
Xu, Z.C., see Xuan Chi, X., 5
Xuan Chi, X., Xu, Z.C., Potassium currents in CA1 neurons of rat hippocampus increase shortly after transient cerebral ischemia, 5

Yamaguchi, H., see Tsuzuki, K., 171
Yamauchi, T., see Tsuzuki, K., 171
Yoshioka, H., see Uehara, H., 191

Zhang, L., Chang, Y.H., Barker, J.L., Hu, Q., Zhang, L., Maric, D., Li, B.-

S., Rubinow, D.R., Testosterone and estrogen affect neuronal differentiation but not proliferation in early embryonic cortex of the rat: the possible roles of androgen and estrogen receptors, 57
Zhang, L., see Zhang, L., 57
Zou, L.-L., Xu, J., Jankovic, J., He, Y., Appel, S.H., Le, W.-D., Pramipexole inhibits lipid peroxidation and reduces injury in the substantia nigra induced by the dopaminergic neurotoxin 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in C57BL/6 mice, 167